



Rotator Cuff Home Exercise Program

This is a general conditioning program that provides a wide range of exercises.

Your doctor, athletic trainer, or physical therapist can help guide you through this program, which is broken up into 3 parts:

Range of motion - you should do this every day to help get your motion back.

Flexibility - you should do this every day to help stretch tight tissues.

Strengthening - you should do this 3 or 4 days each week to help get your strength back.

Length of program: This shoulder conditioning program should be continued for 4 to 6 weeks, unless otherwise specified by your doctor or physical therapist. After your recovery, these exercises can be continued as a maintenance program for lifelong protection and health of your shoulders. Performing the exercises two to three days a week will maintain strength and range of motion in your shoulders.

Getting Started

Warmup: Before doing the following exercises, warm up with 5 to 10 minutes of low impact activity, like walking or riding a stationary bicycle.

Stretch: After the warm-up, do the stretching exercises shown on Page 1 before moving on to the strengthening exercises. When you have completed the strengthening exercises, repeat the stretching exercises to end the program.

Do not ignore pain: You should not feel pain during an exercise. Talk to your doctor or physical therapist if you have any pain while exercising.

1. Pendulum

Main muscles worked: Deltoids, supraspinatus, infraspinatus,


subscapularis

Equipment needed: None

Repetitions: 2 sets of 10
5 to 6

Step-by-step directions

- Lean forward and place one hand on a counter or table for support. your other arm hang freely at your side.
- Gently swing your arm forward and back. Repeat the exercise moving your arm side-to-side, and repeat again in a circular motion.
- Repeat the entire sequence with the other arm.



Days Per Week:

Let

Tip: Do not round your back or lock your knees.

2. Crossover Arm Stretch

Signature: _____ **Date:** _____



Main muscles worked: Posterior deltoid
You should feel this stretch at the back of your shoulder

Equipment needed: None

Repetitions: 4 each side
Days Per Week: 5 to 6

Step-by-step directions

- Relax your shoulders and gently pull one arm across your chest as far as possible, holding at your upper arm.
- Hold the stretch for 30 seconds and then relax for 30 seconds.
- Repeat with the other arm.

Tip: Do not pull or put pressure on your elbow.



3. Passive Internal Rotation

Main muscles worked: Subscapularis
should feel this stretch at the front of your shoulder


Equipment needed: Light stick, such as a yardstick

Repetitions: 4 each side
Per Week: 5 to 6

Step-by-step directions

- Hold a stick behind your back with one hand, and lightly grasp the other end of the stick with your other hand.
- Pull the stick horizontally as shown so that your shoulder is passively stretched to the point of feeling a pull without pain.
- Hold for 30 seconds and then relax for 30 seconds.
- Repeat on the other side.

Tip: Do not lean over or twist to side while pulling the stick.



4. Passive External Rotation


Main muscles worked: Infraspinatus, teres minor
You should feel this stretch in the back of your shoulder

Equipment needed: Light stick, such as a yardstick

Repetitions: 4 each side
Days Per Week: 5 to 6

Step-by-step directions

- Grasp the stick with one hand and cup the other end of the stick with the other hand.
- Keep the elbow of the shoulder you are stretching against the side of your body and push the stick horizontally as shown to the point of feeling a pull without pain.





- Hold for 30 seconds and then relax for 30 seconds.
- Repeat on the other side.

Tip: Keep your hips facing forward and do not twist.

5. Sleeper Stretch


Main muscles worked: Infraspinatus, teres minor
this stretch in your outer upper back, behind your shoulder

Equipment needed: None

Repetitions: 4 reps, 3x a day
Daily

Step-by-step directions

- Lie on your side on a firm, flat surface with the affected shoulder and your arm bent, as shown. You can place your head on a pillow for comfort, if needed.
- Use your unaffected arm to push your other arm down. Stop pressing down when you feel a stretch in the back of your affected shoulder.
- Hold this position for 30 seconds, then relax your arm for 30 seconds.



You should feel

Days Per Week:

under you

Tip: Do not bend your wrist or press down on your wrist.

6. Standing Row


Main muscles worked: Middle and lower trapezius
You should feel this exercise at the back of your shoulder and into your upper back

Equipment needed: Use an elastic stretch band of comfortable resistance. As the exercise becomes easier to perform, progress to 3 sets of 12 repetitions. If you have access to a fitness center, this exercise can also be performed on a weight machine. A fitness assistant at your gym can instruct you on how to use the machines safely.

Repetitions: 3 sets of 8

Step-by-step directions

- Make a 3-foot-long loop with the elastic band and tie the ends together. Attach the loop to a doorknob or other stable object.
- Stand holding the band with your elbow bent and at your side, as shown in the start position.
- Keep your arm close to your side and slowly pull your elbow straight back.
- Slowly return to the start position and repeat.



Days Per Week: 3

ends together.

Tip: Squeeze your shoulder blades together as you pull.

7. External Rotation With Arm Abducted 90°



Main muscles worked: Infraspinatus and teres minor
this exercise at the back of your shoulder and into your upper back


Equipment needed: Use an elastic stretch band of comfortable exercise becomes easier to perform, progress to 3 sets of 12 repetitions. to a fitness center, this exercise can also be performed on a weight assistant at your gym can instruct you on how to use the machines safely.

Repetitions: 3 sets of 8

Step-by-step directions

- Make a 3-foot-long loop with the elastic band and tie the ends together. Attach the loop to a doorknob or other stable object.
- Stand holding the band with your elbow bent 90° and raised to shoulder-height, as shown in the start position.
- Keeping your shoulder and elbow level, slowly raise your hand until it is in line with your head.
- Slowly return to the start position and repeat.

Tip: Make sure your elbow stays in line with your shoulder.



You should feel

resistance. As the
If you have access
machine. A fitness

Days Per Week: 3

8. Internal Rotation

Main muscles worked: Pectoralis, subscapularis
exercise at your chest and shoulder


Equipment needed: Use an elastic stretch band of comfortable exercise becomes easier to perform, progress to 3 sets of 12 repetitions. to a fitness center, this exercise can also be performed on a weight assistant at your gym can instruct you on how to use the machines

Repetitions: 3 sets of 8

Step-by-step directions

- Make a 3-foot-long loop with the elastic band and tie the ends together. Attach the loop to a doorknob or other stable object.
- Stand holding the band with your elbow bent and at your side, as shown in the start position.
- Keep your elbow close to your side and bring your arm across your body.
- Slowly return to the start position and repeat.

Tip: Keep your elbow pressed into your side.



You should feel this

resistance. As the
If you have access
machine. A fitness
safely.

Days Per Week: 3

9. External Rotation



Main muscles worked: Infraspinatus, teres minor, posterior deltoid
feel this stretch in the back of your shoulder and upper back


Equipment needed: Use an elastic stretch band of comfortable resistance. As becomes easier to perform, progress to 3 sets of 12 repetitions. If you have fitness center, this exercise can also be performed on a weight machine. A assistant at your gym can instruct you on how to use the machines safely.

Repetitions: 3 sets of 8
Week: 3

Step-by-step directions

- Make a 3-foot-long loop with the elastic band and tie the ends together.
- Attach the loop to a doorknob or other stable object.
- Stand holding the band with your elbow bent and at your side, as shown in the start position.
- Keeping your elbow close to your side, slowly rotate your arm outward.
- Slowly return to the start position and repeat.

Tip: Squeeze your shoulder blades together when you pull your elbow back.



You should

the exercise
access to a
fitness

Days Per

10. Elbow Flexion

Main muscles worked: Biceps
feel this exercise at the front of your upper arm

Equipment needed: Begin with a weight that allows 3 sets of 8 repetitions to 3 sets of 12 repetitions. As the exercise becomes easier, add weight in 1-increments to a maximum of 5 pounds. Each time you increase the weight, sets of 8 repetitions.

Repetitions: 3 sets of 8
Week: 3

Step-by-step directions

- Stand tall with your weight evenly distributed over both feet.
- Keep your elbow close to your side and slowly bring the weight up toward your shoulder as shown.
- Hold for 2 seconds.
- Slowly return to the starting position and repeat.

Tip: Do not do the exercise too quickly or swing your arm.



You should

and progress
pound
start again at 3

Days Per

11. Elbow Extension



Main muscles worked: Triceps
feel this exercise at the back of your upper arm

Equipment needed: Begin with a weight that allows 3 sets of 8 repetitions and sets of 12 repetitions. As the exercise becomes easier, add weight in 1-pound to a maximum of 5 pounds. Each time you increase the weight, start again at 3 repetitions.

Repetitions: 3 sets of 8
Week: 3

Step-by-step directions

- Stand tall with your weight evenly distributed over both feet.
- Raise your arm and bend your elbow with the weight behind your head.
- Support your arm by placing your opposite hand on your upper arm.
- Slowly straighten your elbow and bring the weight overhead.
- Hold for 2 seconds.
- Slowly lower your arm back down behind your head and repeat.

Tip: Keep your abdominal muscles tight and do not arch your back.



You should

progress to 3
increments
sets of 8

Days Per

12. Trapezius Strengthening

Main muscles worked: Middle and posterior deltoid, supraspinatus, middle trapezius
You should feel this exercise at the back of your shoulder and into your upper back

Equipment needed: Begin with a light enough weight to allow 3 to 4 sets of 20 repetitions without pain. As the exercise becomes easier to perform, add 2 to 3 pounds of weight, but do fewer repetitions. Progress to 3 sets of 15 repetitions at each weight increment, with the maximum weight approximately 5 to 7 pounds.

Repetitions: 3 sets of 20
Days Per Week: 3 to 5


Step-by-step directions

- Place your knee on a bench or chair and lean forward so that your hand reaches the bench and helps support your weight. Your other hand is at your side, palm facing your body.
- Slowly raise your arm, rotating your hand to the thumbs-up position and stopping when your hand is shoulder height, with your arm parallel to the floor.
- Slowly lower your arm to the original position to a count of 5.


Tip: Use a weight that makes the last few repetitions difficult, but pain-free.



13. Scapula Setting



Start



Finish



Main muscles worked: Middle trapezius, serratus
You should feel this exercise in your upper back, at your shoulder blade

Equipment needed: None

Repetitions: 10
Days Per Week: 3

Step-by-step directions

- Lie on your stomach with your arms by your sides.
- Place a pillow under your forehead for comfort, if required.
- Gently draw your shoulder blades together and down your back as far as possible.
- Ease about halfway off from this position and hold for 10 seconds.
- Relax and repeat 10 times.

Tip: Do not tense up in your neck.

14. Scapular Retraction/Protraction

Main muscles worked: Middle trapezius, serratus
this exercise in your upper back at your shoulder blade

Equipment needed: Begin with a weight that allows 2 sets of 8 to 10 progress to 3 sets of 15 repetitions. As the exercise becomes easier, add increments to a maximum of 5 pounds. Each time you increase the weight, sets of 8 to 10 repetitions.

Repetitions: 2 sets of 10
3

Step-by-step directions

- Lie on your stomach on a table or bed with your injured arm hanging over the side.
- Keep your elbow straight and lift the weight slowly by squeezing your shoulder blade toward the opposite side as far as possible.
- Return slowly to the starting position and repeat.

Tip: Do not shrug your shoulder toward your ear.



You should feel


repetitions and weight in 1-pound start again at 2

Days Per Week:

15. Bent-Over Horizontal Abduction



Main muscles worked: Middle and lower trapezius, Infraspinatus, teres minor, posterior deltoid
You should feel this exercise at the back of your shoulder and into your upper back



Equipment needed: Begin with a weight that allows 3 sets of 8 repetitions and progress to 3 sets of 12 repetitions. As the exercise becomes easier, add weight in 1-pound increments to a maximum of 5 pounds. Each time you increase the weight, start again at 3 sets of 8 repetitions.

Repetitions: 3 sets of 8
Days Per Week: 3

Step-by-step directions


- Lie on your stomach on a table or bed with your injured arm hanging over the side.
- Keep your arm straight and slowly raise it up to eye level.
- Slowly lower it back to the starting position and repeat.

Tip: Control the movement as you lower the weight.

16. Internal and External Rotation

Main muscles worked: Internal rotation: anterior deltoid, pectoralis, subscapularis, latissimus.

External rotation: posterior deltoid, infraspinatus, teres minor
You should feel this exercise in the front and back of your shoulder, your chest, and upper back



Equipment needed: Begin with a light enough weight to allow 3 to 4 sets of 20 repetitions without pain. As the exercise becomes easier to perform, add 2 to 3 pounds of weight, but do fewer repetitions. Progress to 3 sets of 15 repetitions at each weight increment, with the maximum weight approximately 5 to 7 pounds.

Repetitions: 3 to 4 sets of 20
Days Per Week: 3 to 5

Step-by-step directions

- Lie on your back on a flat surface.
- Extend your arm straight out from the shoulder and bend the elbow 90° so that your fingers are pointed up.
- Keeping your elbow bent and on the floor, slowly move your arm in the arc shown. Bring your elbow down to a 45° angle if you experience pain at 90°.

Tip: Use a weight that makes the last few repetitions difficult, but pain-free.



17. External Rotation

Main muscles worked: Infraspinatus, teres minor, posterior deltoid
You should feel this stretch in the back of your shoulder and upper back


Equipment needed: Begin with weights that allow 2 sets of 8 to 10 repetitions (approximately 1 to 2 pounds), and progress to 3 sets of 5 repetitions. As the exercise becomes easier, add weight in 1-pound increments to a maximum of 5 pounds. Each time you increase the weight, start again at 2 sets of 8 to 10 repetitions.

Repetitions: 2 sets of 10
Days Per Week: 3

Step-by-step directions

- Lie on your side on a firm, flat surface with your unaffected arm under you, cradling your head.
- Hold your injured arm against your side as shown, with your elbow bent at a 90° angle.
- Keep your elbow against your side and slowly rotate your arm at the shoulder, raising the weight to a vertical position.
- Slowly lower the weight to the starting position to a count of 5.

Tip: Do not let your body roll back as you raise the weight.



18. Internal Rotation

Main muscles worked: Subscapularis, teres major
You should feel this stretch in the front of your shoulder

Equipment needed: Begin with weights that allow 2 sets of 8 to 10 repetitions (approximately 1 to 2 pounds), and progress to 3 sets of 5 repetitions. As the exercise becomes easier, add weight in 1-pound increments to a maximum of 5 pounds. Each time you increase the weight, start again at 2 sets of 8 to 10 repetitions.

Repetitions: 2 sets of 10
Days Per Week: 3

Step-by-step directions

- Lie on a firm, flat surface on the side of your affected arm.
- Place a pillow or folded cloth under your head to keep your spine straight.
- Hold your injured arm against your side as shown, with your elbow bent at a 90° angle.
- Keep your elbow bent and against your body and slowly rotate your arm at the shoulder, raising the weight to a vertical position.
- Slowly lower the weight to the starting position.

Tip: Do not let your body roll back as you raise the weight.

Stephen G. Thon, MD
thon@DMortho.com
Phone: 303-789-3000
www.StephenThonMD.com



STEPHEN THON, MD
ORTHOPEDIC & SPORTS MEDICINE SURGEON
www.stephenthonmd.com